



**MULTI-MODAL STUDY
A453 NOTTINGHAM TO M1 JUNCTION 24**

FINAL REPORT

JULY 2002

REVISION RECORD

<u>Revision</u>	<u>Date</u>	<u>Originator</u>	<u>Checked</u>	<u>Approved</u>
One	July 2002	Study Team	P B Webster	B Dean

Prepared for:

Government Office for the East Midlands
The Belgrave Centre
Stanley Place
Talbot Street
Nottingham
NG1 5GG

Prepared by:

Pell Frischmann
Suite 22
Clarendon Chambers
Clarendon Street
Nottingham
NG15LN

TABLE OF CONTENTS

EXECUTIVE SUMMARY

1. INTRODUCTION

- 1.1 Background**
- 1.2 Management of the Study Process**
- 1.3 Study Area**
- 1.4 Study Aims and Objectives**
- 1.5 Overall Approach to the Study**
- 1.6 Role of Consultation**
- 1.7 Report Layout**

2. PLANNING AND LAND USE

- 2.1 Introduction**
- 2.2 Approach**
- 2.3 Data for Year 2000**
- 2.4 Data for Future Years**
- 2.5 Local Development Issues and Sensitivity Testing**
- 2.6 Distribution of Growth**

3. TRANSPORT DEMAND

- 3.1 Introduction**
- 3.2 Transport Model Overview**
- 3.3 Forecasting Procedures**
- 3.4 Do Minimum Networks**
- 3.5 Growth in Travel Demand**
- 3.6 Do Minimum Assignments**

4. PROBLEM IDENTIFICATION AND LOCAL OBJECTIVES

- 4.1 Introduction**
- 4.2 Existing Problems and Issues**
- 4.3 Local Objectives – The Policy Context**

5. TRANSPORT STRATEGY DEVELOPMENT

- 5.1 Introduction**
- 5.2 Approach to Strategy Development**
- 5.3 Initial Strategy Concepts**
- 5.4 Preliminary Transport Strategies**
- 5.5 Development of the Preferred Strategy**

6. SCHEME DEVELOPMENT AND ASSESSMENT

- 6.1 Introduction**
- 6.2 The Long List of Schemes**
- 6.3 Do Minimum Schemes**
- 6.4 Scheme Development and Assessment**
- 6.5 Sifting**
- 6.6 Sequence of Appraisal**
- 6.7 Appraisal**

7. OPTION DEVELOPMENT AND ASSESSMENT

- 7.1 Introduction**
- 7.2 The Preferred Strategy -Initial Combined Options**
- 7.3 Identifying a Shortlist of Final Options**
- 7.4 Selecting The Preferred Option**
- 7.5 Conclusion**

8. CONSULTATION

- 8.1 General Approach**
- 8.2 Wider Reference Group**
- 8.3 Other Representative Groups**
- 8.4 Elected Members**
- 8.5 Freight Consultations**
- 8.6 Formal Consultations**
- 8.7 Public Consultation**

9. THE PREFERRED OPTION

- 9.1 Introduction**
- 9.2 The Preferred Transport Strategy**
- 9.3 The Transport Plan**
- 9.4 Demand Management and Behavioural Change**
- 9.5 Outline Description of Plan Schemes**

10. PHASING AND SENSITIVITY ANALYSIS

- 10.1 Introduction**
- 10.2 Co-ordination Implementation**
- 10.3 Phasing of Rail Schemes**
- 10.4 Phasing of Light Rail Schemes**
- 10.5 Phasing of Bus Schemes**
- 10.6 Phasing of Highway and Traffic Management Schemes**
- 10.7 Phasing of Cycling and Walking Schemes**
- 10.8 Phasing of Demand Management and Travel Behaviour Schemes**
- 10.9 Phasing of Freight Schemes**
- 10.10 Procedures for Implementation**
- 10.11 Sensitivity analysis**

11. FUNDING

12. CONCLUSIONS

12.1 Introduction

12.2 The A453 in Context

12.3 Transport Objectives

12.4 The Preferred Transport Strategy

12.5 The Recommended Transport Plan

12.6 Implementation

SCHEDULE OF FIGURES

Section 1. Introduction

- 1.1 The Study Area

Section 2. Planning and Land Use

- No Figures

Section 3. Transport Demand

- 3.1 Transport Model Components
- 3.2 Transport Model Interactions
- 3.3 Transport Model Areas
- 3.4 Inner and Outer Modelling Areas
- 3.5 The Do Minimum Network
- 3.6 Traffic Flows at Selected Locations – 2021 Do Minimum AM Peak
- 3.7 Traffic Flows at Selected Locations – 2021 Do Minimum PM Peak
- 3.8 Bus Passenger Flows at Selected Locations – 2021 Do Minimum AM Peak
- 3.9 Bus Passenger Flows at Selected Locations – 2021 Do Minimum PM Peak
- 3.10 Traffic Flows at Selected Locations – Base Year 2000 AM Peak
- 3.11 HGVs and OGVs at Selected Locations - Base Year 2000 AM Peak
- 3.12 Link Saturation at Selected Locations - Base Year 2000 AM Peak
- 3.13 Traffic Flows at Selected Locations – Base Year 2000 PM Peak
- 3.14 HGVs and OGVs at Selected Locations - Base Year 2000 PM Peak
- 3.15 Link Saturation at Selected Locations - Base Year 2000 PM Peak
- 3.16 HGVs and OGVs at Selected Locations - 2021 Do Minimum AM Peak
- 3.17 Link Saturation at Selected Locations - 2021 Do Minimum AM Peak
- 3.18 HGVs and OGVs at Selected Locations - 2021 Do Minimum PM Peak
- 3.19 Link Saturation at Selected Locations - 2021 Do Minimum PM Peak
- 3.20 Bus Passenger Flows at Selected Locations – Base Year 2000 AM Peak
- 3.21 Bus Passenger Flows at Selected Locations – Base Year 2000 PM Peak
- 3.22 Outer, Intermediate and Inner Screenlines

Section 4. Problem Identification and Local Objectives

- No Figures

Section 5. Transport Strategy Development

- 5.1 Overall Strategy and Option Development Flowchart
- 5.2 Typical Generic Intervention Matrix – Strategy 3
- 5.3 Strategy Assessment and Selection Process Strategy No 1 – Maximise Utilisation of Existing Infrastructure with Improvements at Bottlenecks
- 5.4 Strategy Assessment and Selection Process Strategy No 2 – Reduce the Demand for Travel in the Corridor
- 5.5 Strategy Assessment and Selection Process Strategy No 3 – Encourage Mode Change for Longer Distance Movements
- 5.6 Strategy Assessment and Selection Process Strategy No 4 - Encourage Mode Change for Local Movements

- 5.7 Strategy Assessment and Selection Process Strategy No 5 - Promote Public Transport and Non Motorised Travel
- 5.8 Strategy Assessment and Selection Process Strategy No 6 - Improve Highway Capacity
- 5.9 Preliminary Strategy I – Maximise Utilisation of Existing Infrastructure
- 5.10 Preliminary Strategy II - Maximum Use of Public Transport and Walk/Cycle Modes
- 5.11 Preliminary Strategy III – Encourage Mode Choice within the Corridor
- 5.12 Preliminary Strategy IV – Improve Highway Capacity
- 5.13 Bypass Corridors Considered
- 5.14 Inbound Flows at Selected Sites on the A453 by Mode

Section 6. Scheme Development and Assessment

- 6.1 Option Development and Parallel Appraisal

Section 7. Option Development and Assessment

- No Figures

Section 8. Consultation

- 8.1 Mobile Exhibition Unit at Gotham Village Hall
- 8.2 Static Exhibition at Kegworth Community Centre
- 8.3 Static Exhibition at Broadmarsh Shopping Centre
- 8.4 Sort by Village
- 8.5 Sort by Usage
- 8.6 Mode of Travel
- 8.7 Use of A453
- 8.8 Option Preferences

Section 9. The Preferred Option

- 9.1 The Preferred Transport Plan
- 9.2 Typical NET Routes to Clifton and Beeston
- 9.3 Existing Bus Routes to Clifton
- 9.4 Indicative Junction Improvement – Parkway Station
- 9.5 Indicative Junction Improvement – Thrumpton North
- 9.6 Indicative Junction Improvement – M1 Junction 24 and 23a Complex
- 9.7 Indicative Junction Improvement – Barton Lodge
- 9.8 Pedestrian Routes across A453 Clifton Single 4 Lane Scheme
- 9.9 Cross Section of the Clifton 4 lane Scheme
- 9.10 The A453 Clifton Single 4 lane Scheme

Section 10. Phasing and Sensitivity Analysis

- No Figures

Section 11. Funding

- No Figures

Section 12. Conclusions

- No Figures

SCHEDULE OF TABLES

Section 1. Introduction

- No Tables

Section 2. Planning and Land Use

- 2.1 Core Districts for Assessment of Planning Data
- 2.2 Alternative Development Assumptions for Key Sites
- 2.3 Forecast Changes in Population for Core Districts

Section 3. Transport Demand

- 3.1 Schemes Included in the Do Minimum Network
- 3.2 Average Growth in Trip Generation between Base Year 2000 and Do Minimum 2021 AM Peak Period
- 3.3 Overall Network Performance Summary Statistics for Base Year 2000 and Do Minimum 2021
- 3.4 A Comparison between Base Year 2000 and Do Minimum 2021 Directional Peak Hour Flows
- 3.5 Select Link Analyses of Do Minimum 2021 AM Peak on A453
- 3.6 Select Link Analyses of Do Minimum 2021 PM Peak on A453
- 3.7 Rail Passengers at Nottingham and Loughborough Stations

Section 4. Problem Identification and Local Objectives

- No Tables

Section 5. Transport Strategy Development

- 5.1 Summary of Strategy Issues
- 5.2 Initial Schedule of Generic Interventions
- 5.3 Demand Management Policies for Preliminary Strategy Tests
- 5.4 Global Travel Statistics for Preliminary Strategies
- 5.5 Changes in Traffic and Public Transport Passenger Flows Across Screenlines – 2011 AM Peak Hour
- 5.6 Specification of Strategy Sensitivity Tests

Section 6. Scheme Development and Assessment

- 6.1 Categories of Schemes in the Long List

Section 7.	Option Development and Assessment
7.1	Consultation Options, Traffic and Passenger Flows, 2021 AM Peak
7.2	Consultation Options, Traffic and Passenger Flows, 2021 PM Peak
7.3	Comparison of Key Network Summary Statistics for the Short List Options (2021)
7.4	Short List Options, Traffic and Passenger Flows, 2021 AM Peak
7.5	Short List Options, Traffic and Passenger Flows, 2021 PM Peak
7.6	Distillation of Appraisal Summary Table, Option A1
7.7	Distillation of Appraisal Summary Table, Option D
7.8	Distillation of Appraisal Summary Table, Option E
7.9	Distillation of Local Objectives, Option A1
7.10	Distillation of Local Objectives, Option D
7.11	Distillation of Local Objectives, Option E
Section 8.	Consultation
8.1	List of Initial WRG Member Organisations
8.2	List of Additional WRG Member Organisations
8.3	Summary of WRG Events
8.4	List of Presentations to Local Interest Groups
8.5	List of Attendees at Elected Members Events
8.6	Attendance at Public Consultation Exhibitions
8.7	Analysis of Pro-forma Responses
8.8	Geographic origins of written Responses
Section 9.	The Preferred Option
9.1	Schemes within the Transport Plan
9.2	Committed Schemes
9.3	Categories of Schemes in the Transport Plan Compared with the Long List
Section 10.	Phasing and Sensitivity Analysis
10.1	Possible Programme of Implementation
Section 11.	Funding
11.1	Scheme Costs
Section 12	Conclusions
-	No Tables

SCHEDULE OF APPENDICES

- Section 1. Introduction**
- No Appendices
- Section 2. Planning Data**
- No Appendices
- Section 3. Transport Demand**
- No Appendices
- Section 4. Problem Identification and Local Objectives**
- No Appendices
- Section 5. Transport Strategy Development**
- 5.1 Scheme Lists for Preliminary Transport Strategies I to IV
- Section 6. Scheme Development and Assessment**
- 6.1 Long List of Schemes
 - 6.2 Schemes Suspended, Amalgamated or Rejected
- Section 7. Option Development and Assessment**
- 7.1 Network plots of forecast traffic and saturation levels
 - 7.2 Appraisal Summary Tables
- Section 8. Consultation**
- No Appendices

Section 9. The Transport Plan

- 9.1 Schemes in the Transport Plan
- 9.2 Strategy for Walking and Cycling
- 9.3 Strategy for Freight

Section 10. Phasing

- No Appendices

Section 11. Funding

- No Appendices

Section 12 Conclusions

- No Appendices

In addition to the information contained in the above appendices, further details are contained within Study Working Papers, produced throughout the duration of the Study. These can be found on the Study Website (www.a453multimodal.com) or in paper copy by arrangement with the Government Office for the East Midlands.

SCHEDULE OF WORKING PAPERS

No. 1	Consultation – Inception Open Days at Clifton & Kegworth
No. 2	Consultation – Inception Workshop and Open Days – Postal Feedback
No. 3	Consultation – Inception Workshop with Nottingham City Transportation Group
No. 4	Consultation – Inception Summary
No. 5	Surveys – Home Travel Survey – Response and Implications An Initial Assessment
No. 6	Strategy - Project Management Group Seminar No. 1
No. 7	Strategy Development Status Report
No. 8	Planning Data for Future Years Interim Report
No. 9	An Initial Analysis of NTEM Planning Data Forecasts
No. 10	Not Issued
No. 11	Strategy Consultation – Summary
No. 12	GNBA Strategy Consultation
No. 13	Not issued
No. 14	Specification of the Do Minimum Networks
No. 15	Revisions to Base Year Planning Data
No. 16	Possible Freight Options
No. 17	Initial Options for Testing
No. 18	Summary Approach to 2011 Planning Data Derivation
No. 19	Consultation – Freight Industry Seminar
No. 20	Consultation – Environmental Groups Seminar

No. 21	Freight Industry Interviews
No. 22	Appraisal Methodology - A Summary
No. 23	Planning Data 2021
No. 24	Report on Wider Reference Group 26.Sept.01
No. 25	Schemes for suspension, amalgamation or rejection
No. 26	A Strategy for Freight
No. 27	An assessment of A453 Bypass corridors
No. 28	A Strategy for walking and cycling
No. 29	Analysis of A453 accidents
No. 30	Land Use planning implications
No. 31	Operational assessment of Preferred Option
No. 32	Operational Assessment of M1 junction 23a and 24
No. 33	An overview of Public Transport
No. 34	Public Consultation
No. 35	S2 vs D2 Carriageway between M1 Junction 24 and Clifton
No. 36	Clifton Single 4 Lane Scheme