



MULTI-MODAL STUDY
A453 NOTTINGHAM TO M1 JUNCTION 24
MODEL DEVELOPMENT AND VALIDATION
REPORT

JULY 2002

REVISION RECORD

<u>Revision</u>	<u>Date</u>	<u>Originator</u>	<u>Checked</u>	<u>Approved</u>
Preliminary	6 July 2001	Josef Janko		
Draft	22 Oct 2001	Josef Janko		
Draft No 2	Nov 2001	Josef Janko	Andrew Spittlehouse	Peter Webster
Final	July 2002	Josef Janko	Andrew Spittlehouse	Peter Webster

Prepared for:

Government Office for the East Midlands
The Belgrave Centre
Stanley Place
Talbot Street
NG1 5GG

Prepared by:

Pell Frischmann/PTV
Clarendon Chambers
32 Clarendon Street
Nottingham
NG15LN

Table of Contents

- 1. Introduction**
 - 1.1 General
 - 1.2 General Form of the Model
 - 1.3 Stages of Model Development
 - 1.4 Model Base

- 2. Database for a Demand Model**
 - 2.1 Model Structure
 - 2.2 Data Resources
 - 2.3 Transport Surveys
 - 2.4 Household Surveys

- 3. Development of an Integrated Network and Zoning System**
 - 3.1 Introduction
 - 3.2 Databases for Network Modelling
 - 3.3 Zones
 - 3.4 Network Links
 - 3.5 Nodes
 - 3.6 Public Transport Lines

- 4. Demand Model Calibration**
 - 4.1 Generation Model
 - 4.2 Calibration of Demand Model
 - 4.3 Modelling Park and Ride

- 5. Base Model Development**
 - 5.1 Introduction
 - 5.2 Including Data into the Network Model
 - 5.3 Processing of Structural Data
 - 5.4 Modelling of Commercial Traffic
 - 5.5 Adding External Movements to the Model
 - 5.6 Final Matrix Assembly

- 6. Transport Model Validation**
 - 6.1 Introduction
 - 6.2 Traffic Assignment Validation
 - 6.3 Public Transport Assignment Validation

- 7. Conclusions and Outlook**

Schedule of Figures

- Figure 1.1: Study Area
- Figure 1.2: Transport Model Components
- Figure 1.3: Transport Model Interactions
- Figure 2.1: Modelling Areas
- Figure 2.2: Greater and Inner Modelling Areas
- Figure 2.3: Roadside Interview Sites
- Figure 2.4: Routes for Car Journey Time surveys
- Figure 2.5: Car Journey Times Survey Analysis
- Figure 2.6: Bus Passenger Interviews Survey Sites
- Figure 3.1: Zones (Inner Modelling Area)
- Figure 3.2: Zones (Greater Modelling Area)
- Figure 3.3: Sectors
- Figure 4.1: Population Segmentation
- Figure 4.2: Mobility Rates
- Figure 4.3: Activities by Person Group
- Figure 4.4: Number of Trips in the Study Area by Trip Purpose
- Figure 4.5: Time Pattern of Activities (Example)
- Figure 4.6: Mode Shares – Household Survey and Demand Model
- Figure 4.7: Mode Shares for the Model Population Segments
- Figure 4.8: Home to Work Trip Length Distribution
- Figure 4.9: Home to Shopping Trip Length Distribution
- Figure 5.1 Schematic Matrix Composition
- Figure 6.1: Comparison Between Surveyed and Modelled Journey Times
- Figure 6.2: Traffic Flow Composition (%) AM Peak Inbound A453 Southwest of Clifton
- Figure 6.3 Traffic Flow Composition (%) AM Peak Outbound A453 Southwest of Clifton
- Figure 6.4 Traffic Flow Composition (%) AM Peak Inbound A453 Northeast of Clifton
- Figure 6.5 Traffic Flow Composition (%) AM Peak Outbound A453 Northeast of Clifton
- Figure 6.6 Bus Passenger Screenline Validation - AM Peak
- Figure 6.7 Bus Passenger Screenline Validation -Inter Peak
- Figure 6.8 Bus Passenger Screenline Validation PM Peak

Schedule of Tables

Table 2.1:	Expansion Factors from City of Nottingham and M1 Study Surveys (Daily)
Table 2.2:	Expansion Factors for the City of Nottingham and M1 Study Surveys (Seasonal)
Table 2.3:	Routes for Car Journey Time Surveys
Table 3.1:	Sectors and Model Zones
Table 3.2:	Public Transport Services in the Model
Table 4.1:	Definition of Behaviourally Homogeneous Person Groups
Table 4.2:	Activities in the Demanded Model
Table 4.3:	Activity Chains and Frequency – Pop MFT and Pop FPT
Table 4.4:	Transport Modes in the Demand Model
Table 4.5:	Stated Preference Survey Attributes
Table 4.6:	Stated Preference Model Estimation
Table 5.1:	Census Point Types in the Network Model
Table 5.2:	Shares of Vehicle Categories in External Traffic
Table 6.1:	Comparison of Assigned Flows and Traffic Counts - RSI Sites - AM Peak Inbound
Table 6.2:	Comparison of Assigned Flows and Traffic Counts - RSI Sites - AM Peak Outbound
Table 6.3:	Comparison of Assigned Flows and Traffic Counts - RSI Sites - Interpeak Inbound
Table 6.4:	Comparison of Assigned Flows and Traffic Counts - RSI Sites - Interpeak Outbound
Table 6.5:	Comparison of Assigned Flows and Traffic Counts - RSI Sites - PM Peak Inbound
Table 6.6:	Comparison of Assigned Flows and Traffic Counts - RSI Sites - PM Peak Outbound
Table 6.7:	Comparison of Assigned Flows and Traffic Counts - Motorway Sites - AM Peak
Table 6.8:	Comparison of Assigned Flows and Traffic Counts - Motorway Sites - Interpeak
Table 6.9:	Comparison of Assigned Flows and Traffic Counts - Motorway Sites - PM Peak
Table 6.10:	Comparison of Assigned Flows and Traffic Counts - Independent Sites - AM Peak
Table 6.11:	Comparison of Assigned Flows and Traffic Counts - Independent Sites - Interpeak
Table 6.12:	Comparison of Assigned Flows and Traffic Counts - Independent Sites - PM Peak
Table 6.13:	Bus Passenger Assigned Flows and Counts at Screenlines - AM Peak Inbound
Table 6.14:	Bus Passenger Assigned Flows and Counts at Screenlines - AM Peak Outbound
Table 6.15:	Bus Passenger Assigned Flows and Counts at Screenlines - Interpeak Inbound
Table 6.16:	Bus Passenger Assigned Flows and Counts at Screenlines - Interpeak Outbound
Table 6.17:	Bus Passenger Assigned Flows and Counts at Screenlines - PM Peak Inbound

Table 6.18: Bus Passenger Assigned Flows and Counts at Screenlines -
PM Peak Outbound

Table 6.19: Rail Passenger Alighting and Boarding Flows and Counts Comparison -
AM Peak.

Table 6.20: Rail Passenger Alighting and Boarding Flows and Counts Comparison -
Interpeak.

Table 6.21: Rail Passenger Alighting and Boarding Flows and Counts Comparison -
PM Peak.

Schedule of Appendices

- A Summary Survey Statistics
- B Model Development supplementaries